

Nominal Bore and Series	Mean Outside Diameter	Wall Thickness		Nominal Weight Black Tubes		Calculated'Nominal Weight Galvanised		Sockets	
				Plain End	Screwed&Socketed	Plain End	Screwed&Socketed	Minimum OD	Minimum Length
mm	mm	mm	SWG	kg/m	kg/m	kg/m	kg/m	mm	mm
15L	21.20	2.00	14	0.95	0.96	1.02	1.03	27.0	37.0
M	21.40	2.65	12	1.22	1.23	1.28	1.29		
H	21.40	3.25	10	1.45	1.46	1.51	1.52		
20L	26.65	2.35	13	1.41	1.42	1.49	1.50	32.5	39.0
M	26.90	2.65	12	1.58	1.59	1.66	1.67		
H	26.90	3.25	10	1.90	1.91	1.98	1.99		
25L	33.50	2.65	12	2.01	2.03	2.11	2.13	39.5	46.0
M	33.75	3.25	10	2.44	2.46	2.54	2.56		
H	33.75	4.05	8	2.97	2.99	3.07	3.09		
32L	42.20	2.65	12	2.58	2.61	2.71	2.74	49.0	51.0
M	42.45	3.25	10	3.14	3.17	3.26	3.29		
H	42.45	4.05	8	3.84	3.87	3.96	3.99		
40L	48.10	2.90	11	3.25	3.29	3.39	3.43	56.0	51.0
M	48.35	3.25	10	3.61	3.65	3.75	3.79		
H	48.35	4.05	8	4.43	4.47	4.59	4.63		
50L	59.90	2.90	11	4.11	4.18	4.29	4.36	68.0	60.0
M	60.25	3.65	9	5.10	5.17	5.28	5.35		
H	60.25	4.50	7	6.17	6.24	6.35	6.42		
65L	75.60	3.25	10	5.80	5.92	6.04	6.16	84.0	69.0
M	75.95	3.65	9	6.51	6.63	6.72	6.84		
H	75.95	4.50	7	7.90	8.02	8.11	8.23		
80L	88.30	3.25	10	6.81	6.98	7.06	7.29	98.0	75.0
M	88.75	4.05	8	8.47	8.64	8.72	8.89		
H	88.75	4.85	6	10.10	10.30	10.34	10.51		
100L	113.45	3.65	9	9.89	10.20	10.21	10.51	124.0	87.0
M	114.05	4.50	7	12.10	12.40	12.42	12.72		
H	114.05	5.40	5	14.40	14.70	14.72	15.02		
125M	139.65	4.85	6	16.20	16.70	16.59	17.09	151.0	96.0
H	139.65	5.40	5	17.80	18.30	18.19	18.69		
150M	165.20	4.85	6	19.20	19.80	19.27	20.27	178.0	96.0
H	165.20	5.40	5	21.20	21.80	21.67	20.27		